



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/530,031 | 08/19/2005 | Nobuyuki Takakuwa | 8048-1099 | 2952 |

466 7590 07/09/2010
YOUNG & THOMPSON
209 Madison Street
Suite 500
Alexandria, VA 22314

| |
|----------|
| EXAMINER |
|----------|

SHIBRU, HELEN

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2621

| | |
|-------------------|---------------|
| NOTIFICATION DATE | DELIVERY MODE |
|-------------------|---------------|

07/09/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DocketingDept@young-thompson.com

| | | | |
|------------------------------|--------------------------------------|--|--|
| Office Action Summary | Application No. 10/530,031 | Applicant(s) TAKAKUWA ET AL. | |
| | Examiner HELEN SHIBRU | Art Unit 2621 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 May 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 05/04/2010 has been entered.

Response to Amendment

2. The amendments, filed 11/04/2009, have been entered and made of record. Claims 21-35 are pending, claims 1-20 are cancelled.

Response to Arguments

3. Applicant's arguments with respect to claims 21-35 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 21-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kato (US PG PUB 2007/0286577) in view of Kawamura (US Pat. No. 6, 453, 110) and further in view of Morris (US PG PUB 2001/0026561) and Mori (US PG PUB 2002/0127003).

Regarding claim 21, Kato discloses an information record medium on which there are recorded: a series of content information (see paragraphs 0183, 0265, content information is generated) which is constructed from at least one elementary stream and which is stored as a plurality of packets, each of the plurality of packets stores a fragment of the elementary stream (see paragraph 0461 where the prior art teaches TS contain an elementary stream; a TS is composed of plural concatenated transport packets; see paragraph 0002 each transport packet is a packetized MPEG2 video or MPEG1 audio stream; see paragraph 0245 the SESF defines an elementary stream pertinent to MPEG2 TS and AV stream; see paragraph 0241 in the AV stream file MPEG2 TS is stored; see paragraphs 0463-0464 one continuous elementary stream conforming to MPEG2 standard; see paragraph 0470, packet transmitting elementary stream; and see paragraph 0385 transport packet transmitting the number k elementary stream);

menu information, which is constructed from at least one elementary stream and which is stored in the plurality of packets (see paragraph 0461 where the prior art teaches TS contain elementary stream, see paragraph 0583 demultiplexer acquire elementary stream PID; see paragraph 0239 menu screen is created using PID and content of AV stream includes PID of a transport packet transmitting elementary stream) for displaying during reproduction of said content information (see paragraphs 0255 and figure 14, see also paragraphs 0506, 0534, 0535, and 0556 displaying menu screen);

play list information for defining reproduction sequence of said content information by a unit of item, which constitutes said content information and which is accessible upon reproducing (see figure 14, playlist, paragraphs 0257-0258, and 0307-0308); and

said play list information including: item information for specifying each item which constitutes said content information (see paragraphs 0187, 0308 and figure 2) by indicating

Art Unit: 2621

both of a reproduction start time and a reproduction end time of the item (see paragraphs 0205 and 0576); and slave item information for specifying said menu information as a slave item (see paragraphs 0505-0506 and 0534-0535),

wherein the item information includes information related to the slave item information (see paragraph 0307, where the prior art teaches the field of `ref_thumbnail_index` indicates the information of a thumbnail picture representative of the playlist (hence playlist is related), see also figure 13; the `playitem` includes content, thumbnail extracted from the content, i.e. `playitem` information includes information related to thumbnail).

Claim 21 differs from Kato in that the claim further requires menu-screen is superimposed on a display-screen of content information, and the menu information includes information for displaying at least one menu button.

In the same field of endeavor Kawamura teaches displaying menu in a superimposed manner (see col. 6 lines 26-36). Kawamura further teaches menu information includes information for displaying menu button (see figure 1 menu option button 1, 2, 3...) which is displayed in the menu-screen (see figure 4 which displays the options under menu). See also col. 1 lines 31-42).

Therefore in light of the teaching in Kawamura it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Kato by superimposing menu-screen on a display screen and displaying a button in the menu screen in order for the display device recognize the selection and receive signal easily.

Claim 21 further differs from the above combination in that the claim further requires object information for indicating a relationship between packets and the elementary stream of each of the content information and the menu information.

In the same field of endeavor Morris discloses the received transport stream include stream mapping information identifying a transport packet ID code associated with each elementary stream (see paragraph 0017). Morris teaches filed PID of each transport packet indicates one elementary stream to which that packet relates (see paragraph 0048). Morris further teaches programme comprises a video stream, audio stream and teletext data stream. See also paragraphs 0073-0074 where the prior art teaches PAT and PMT. Morris also discloses packetized elementary stream where the elementary stream includes padding stream, private stream or teletext (see paragraphs 0049-0050, referring to constructing menu information from elementary stream and store in packets).

Therefore in light of the teaching in Morris it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination by including information that relates packets and elementary stream in order to control the stream and to make random access to the stream easily.

Claim 21 further differs from the above combination in that the claim further requires the menu information includes information for a number of the menu-button which is displayed on a display-screen.

In the same field of endeavor Mori teaches as shown in figure 5 and discloses in paragraph 0122, the menu 50 includes a number of menu items (buttons) displayed on a display screen. See also paragraph 0123 where the prior art teaches menu is stored in a sub-picture pack.

Therefore in light of the teaching in Mori it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above proposed combination

Art Unit: 2621

by adding a number of menu button which is displayed on a display screen in order to provide the user of the display-screen a variety of options.

Regarding claim 22, Kato discloses menu information is displayed with being superimposed on or in place of one portion of said content information or is not displayed at all (see paragraphs 0506 and 0535).

Regarding claim 23, Kato discloses menu information specified by the slave item information is further recorded in said play list information, as common information commonly used by a plurality of slave items (see paragraphs 0226 and 0230).

Regarding claim 24, Kato discloses there is further recorded reproduction control information for controlling such that said menu information specified by the slave item information is displayed with being superimposed on or in place of one portion of said content information corresponding to said menu information specified by the slave item information or is not displayed at all (see paragraphs 0534-0556).

Regarding claim 25, Kato discloses an information record apparatus, comprising: a first record device for recording a series of content information (see paragraphs 0183, 0265, content information is generated) which is constructed from at least one elementary stream and which is stored as a plurality of packets, each of the plurality of packets stores a fragment of the elementary stream (see paragraph 0461 where the prior art teaches TS contain an elementary stream; a TS is composed of plural concatenated transport packets; see paragraph 0002 each transport packet is a packetized MPEG2 video or MPEG1 audio stream; see paragraph 0245 the SESF defines an elementary stream pertinent to MPEG2 TS and AV stream; see paragraph 0241 in the AV stream file MPEG2 TS is stored; see paragraphs 0463-0464 one continuous elementary stream conforming to MPEG2 standard; see paragraph 0470, packet transmitting

Art Unit: 2621

elementary stream; and see paragraph 0385 transport packet transmitting the number k elementary stream) and menu information, which is constructed from at least one elementary stream and which is stored in the plurality of packets (see paragraph 0461 where the prior art teaches TS contain elementary stream, see paragraph 0583 demultiplexer acquire elementary stream PID; see paragraph 0239 menu screen is created using PID and content of AV stream includes PID of a transport packet transmitting elementary stream) for displaying during reproduction of said content information (see paragraphs 0255 and figure 14, see also paragraphs 0506, 0534, 0535, and 0556 displaying menu screen); and

a second record device for recording play list information for defining reproduction sequence of said content information by a unit of item, which constitutes said content information and which is accessible upon reproducing (see paragraphs 0190, 0196, 0607 and claim 1 rejection above),

said second record device recording said play list information such that said play list information includes: item information for specifying each item which constitutes said content information by indicating both of a reproduction start time and a reproduction end time of the item (see paragraphs 0205 and 0576); and slave item information for specifying said menu information as a slave item (see claim 1 rejection above),

wherein the item information includes information related to the slave item information (see paragraph 0307, where the prior art teaches the field of ref_thumbnail_index indicates the information of a thumbnail picture representative of the playlist (hence playlist is related), see also figure 13; the playitem includes content, thumbnail extracted from the content, i.e. playitem information includes information related to thumbnail).

Claim 25 differs from Kato in that the claim further requires menu-screen is superimposed on a display-screen of content information, and the menu information includes information for displaying at least one menu button.

In the same field of endeavor Kawamura teaches displaying menu in a superimposed manner (see col. 6 lines 26-36). Kawamura further teaches menu information includes information for displaying menu button (see figure 1 menu option button 1, 2, 3...) which is displayed in the menu-screen (see figure 4 which displays the options under menu). See also col. 1 lines 31-42).

Therefore in light of the teaching in Kawamura it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Kato by superimposing menu-screen on a display screen and displaying a button in the menu screen in order for the display device recognize the selection and receive signal easily.

Claim 25 further differs from the above combination in that the claim further requires a record device for recording object information for indicating a relationship between packets and the elementary stream of each of the content information and the menu information.

In the same field of endeavor Morris discloses the received transport stream include stream mapping information identifying a transport packet ID code associated with each elementary stream (see paragraph 0017, claims 32, 36, 39, and figure 1). Morris teaches filed PID of each transport packet indicates one elementary stream to which that packet relates (see paragraph 0048). Morris further teaches programme comprises a video stream, audio stream and teletext data stream. See also paragraphs 0073-0074 where the prior art teaches PAT and PMT. Morris also discloses packetized elementary stream where the elementary stream

Art Unit: 2621

includes padding stream, private stream or teletext (see paragraphs 0049-0050, referring to constructing menu information from elementary stream and store in packets).

Therefore in light of the teaching in Morris it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination by recording information that relates packets and elementary stream in order to control the stream and to make random access to the stream easily.

Claim 25 further differs from the above combination in that the claim further requires the menu information includes information for a number of the menu-button which is displayed on a display-screen.

In the same field of endeavor Mori teaches as shown in figure 5 and discloses in paragraph 0122, the menu 50 includes a number of menu items (buttons) displayed on a display screen. See also paragraph 0123 where the prior art teaches menu is stored in a sub-picture pack.

Therefore in light of the teaching in Mori it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above proposed combination by adding a number of menu button which is displayed on a display screen in order to provide the user of the display-screen a variety of options.

Claim 26 is rejected for the same reasons as discussed in apparatus claim 25 above.

Regarding claim 27, Kato discloses information reproduction apparatus comprising: a reproduction device (see figure 1 recording and/or reproducing apparatus and unit 28) capable of reproducing said content information, said menu information and said play list information (see rejection of claim 21 above); a displaying and outputting device (see input/output device in figure 1) capable of displaying and outputting said content information and said menu

Art Unit: 2621

information (see rejection of claim 21 above); and a control device (see controller 23 in figure 1) for controlling said reproduction device to reproduce said content information and said menu information, in accordance with the item information and the slave item information included in said play list information reproduced by said reproducing device (see rejection of claim 21 above).

Morris teaches reproducing object information and a control device for controlling the reproducing device to reproduce the content information and the menu information in accordance with object information (see paragraphs 0048-0049, 0062, 0074, 0081 and figure 5).

Regarding claim 28, Kato discloses a buffer memory for maintaining said reproduced menu information in a readily displayable and outputtable condition, for a predetermined period, regardless of whether or not said reproduced menu information is displayed and outputted by said displaying and outputting device (see paragraphs 0506 and 0535, it is inherent that the menu is displayed only for a predetermined time).

Regarding claim 29, the limitation of claim 29 can be found in claims 21, 25 and 27. Therefore claim 29 is analyzed and rejected for the same reasons as discussed in claims 21, 25 and 27 above.

Regarding claim 30, the limitation of claim 30 can be found in claims 21, 25 and 27. Therefore claim 30 is analyzed and rejected for the same reasons as discussed in claims 21 and 25 above.

Regarding claim 31, the limitation of claim 31 can be found in claims 21, 25 and 27. Therefore claim 31 is analyzed and rejected for the same reasons as discussed in claims 21, 25 and 27 above.

Regarding claim 32, Kato discloses a computer readable recording medium recording thereon a computer program for a record control to control a computer disposed at the information record apparatus the said program making the computer function as at least a part of the first record device and the second record device (see paragraphs 0520 and 0583).

Regarding claim 33, Kato discloses a computer readable recording medium recording thereon a computer program making the computer function as at least a part of the reproduction device, the displaying and outputting device and the control device (see figure 54 and paragraphs 0533-0565).

Regarding claim 34, Kato discloses a computer readable recording medium recording thereon a computer program making the computer function as at least a part of the first record device, the second record device, the reproduction device, the displaying and outputting device and the control device (see figure 54 and paragraphs 0533-0565).

Regarding claim 35, the limitation of claim 35 can be found in claim 21. Therefore claim 35 is analyzed and rejected for the same reasons as discussed in claim 21 above.

6. Claims 21-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kato (US PG PUB 2007/0286577) in view of Kawamura (US Pat. No. 6, 453, 110) and further in view of Cuccia (US Pat. No. 6, 157, 673) and Mori (US PG PUB 2002/0127003).

Regarding claim 21, Kato discloses an information record medium on which there are recorded: a series of content information (see paragraphs 0183, 0265, content information is generated) which is constructed from at least one elementary stream and which is stored as a plurality of packets, each of the plurality of packets stores a fragment of the elementary stream (see paragraph 0461 where the prior art teaches TS contain an elementary stream; a TS is composed of plural concatenated transport packets; see paragraph 0002 each transport packet is

Art Unit: 2621

a packetized MPEG2 video or MPEG1 audio stream; see paragraph 0245 the SESF defines an elementary stream pertinent to MPEG2 TS and AV stream; see paragraph 0241 in the AV stream file MPEG2 TS is stored; see paragraphs 0463-0464 one continuous elementary stream conforming to MPEG2 standard; see paragraph 0470, packet transmitting elementary stream; and see paragraph 0385 transport packet transmitting the number k elementary stream);

menu information, which is constructed from at least one elementary stream and which is stored in the plurality of packets (see paragraph 0461 where the prior art teaches TS contain elementary stream, see paragraph 0583 demultiplexer acquire elementary stream PID; see paragraph 0239 menu screen is created using PID and content of AV stream includes PID of a transport packet transmitting elementary stream) for displaying during reproduction of said content information (see paragraphs 0255 and figure 14, see also paragraphs 0506, 0534, 0535, and 0556 displaying menu screen);

play list information for defining reproduction sequence of said content information by a unit of item, which constitutes said content information and which is accessible upon reproducing (see figure 14, playlist, paragraphs 0257-0258, and 0307-0308); and

said play list information including: item information for specifying each item which constitutes said content information (see paragraphs 0187, 0308 and figure 2) by indicating both of a reproduction start time and a reproduction end time of the item (see paragraphs 0205 and 0576); and slave item information for specifying said menu information as a slave item (see paragraphs 0505-0506 and 0534-0535),

wherein the item information includes information related to the slave item information (see paragraph 0307, where the prior art teaches the field of ref_thumbnail_index indicates the information of a thumbnail picture representative of the playlist (hence playlist is related), see

also figure 13; the playitem includes content, thumbnail extracted from the content, i.e. playitem information includes information related to thumbnail).

Claim 21 differs from Kato in that the claim further requires menu-screen is superimposed on a display-screen of content information, and the menu information includes information for displaying at least one menu button.

In the same field of endeavor Kawamura teaches displaying menu in a superimposed manner (see col. 6 lines 26-36). Kawamura further teaches menu information includes information for displaying menu button (see figure 1 menu option button 1, 2, 3...) which is displayed in the menu-screen (see figure 4 which displays the options under menu). See also col. 1 lines 31-42).

Therefore in light of the teaching in Kawamura it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Kato by superimposing menu-screen on a display screen and displaying a button in the menu screen in order for the display device recognize the selection and receive signal easily.

Claim 21 further differs from the above combination in that the claim further requires object information for indicating a relationship between packets and the elementary stream of each of the content information and the menu information.

In the same field of endeavor Cuccia discloses a program map table relates the elementary stream types (video, audio, data etc) in a program to PIDs of packets containing data for that stream type (see col. 3 line 43-col. 4 line 10).

Therefore in light of the teaching in Cuccia it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination by

Art Unit: 2621

including information that indicates a relationship between the elementary stream and the packets in order to access the stream without excessive delay.

Claim 21 further differs from the above combination in that the claim further requires the menu information includes information for a number of the menu-button which is displayed on a display-screen.

In the same field of endeavor Mori teaches as shown in figure 5 and discloses in paragraph 0122, the menu 50 includes a number of menu items (buttons) displayed on a display screen. See also paragraph 0123 where the prior art teaches menu is stored in a sub-picture pack.

Therefore in light of the teaching in Mori it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above proposed combination by adding a number of menu button which is displayed on a display screen in order to provide the user of the display-screen a variety of options.

Regarding claim 22, Kato discloses menu information is displayed with being superimposed on or in place of one portion of said content information or is not displayed at all (see paragraphs 0506 and 0535).

Regarding claim 23, Kato discloses menu information specified by the slave item information is further recorded in said play list information, as common information commonly used by a plurality of slave items (see paragraphs 0226 and 0230).

Regarding claim 24, Kato discloses there is further recorded reproduction control information for controlling such that said menu information specified by the slave item information is displayed with being superimposed on or in place of one portion of said content

Art Unit: 2621

information corresponding to said menu information specified by the slave item information or is not displayed at all (see paragraphs 0534-0556).

Regarding claim 25, Kato discloses an information record apparatus, comprising: a first record device for recording a series of content information (see paragraphs 0183, 0265, content information is generated) which is constructed from at least one elementary stream and which is stored as a plurality of packets, each of the plurality of packets stores a fragment of the elementary stream (see paragraph 0461 where the prior art teaches TS contain an elementary stream; a TS is composed of plural concatenated transport packets; see paragraph 0002 each transport packet is a packetized MPEG2 video or MPEG1 audio stream; see paragraph 0245 the SESF defines an elementary stream pertinent to MPEG2 TS and AV stream; see paragraph 0241 in the AV stream file MPEG2 TS is stored; see paragraphs 0463-0464 one continuous elementary stream conforming to MPEG2 standard; see paragraph 0470, packet transmitting elementary stream; and see paragraph 0385 transport packet transmitting the number k elementary stream) and menu information, which is constructed from at least one elementary stream and which is stored in the plurality of packets (see paragraph 0461 where the prior art teaches TS contain elementary stream, see paragraph 0583 demultiplexer acquire elementary stream PID; see paragraph 0239 menu screen is created using PID and content of AV stream includes PID of a transport packet transmitting elementary stream) for displaying during reproduction of said content information (see paragraphs 0255 and figure 14, see also paragraphs 0506, 0534, 0535, and 0556 displaying menu screen); and

a second record device for recording play list information for defining reproduction sequence of said content information by a unit of item, which constitutes said content

Art Unit: 2621

information and which is accessible upon reproducing (see paragraphs 0190, 0196, 0607 and claim 1 rejection above),

said second record device recording said play list information such that said play list information includes: item information for specifying each item which constitutes said content information by indicating both of a reproduction start time and a reproduction end time of the item (see paragraphs 0205 and 0576); and slave item information for specifying said menu information as a slave item (see claim 1 rejection above),

wherein the item information includes information related to the slave item information (see paragraph 0307, where the prior art teaches the field of ref_thumbnail_index indicates the information of a thumbnail picture representative of the playlist (hence playlist is related), see also figure 13; the playitem includes content, thumbnail extracted from the content, i.e. playitem information includes information related to thumbnail).

Claim 25 differs from Kato in that the claim further requires menu-screen is superimposed on a display-screen of content information, and the menu information includes information for displaying at least one menu button.

In the same field of endeavor Kawamura teaches displaying menu in a superimposed manner (see col. 6 lines 26-36). Kawamura further teaches menu information includes information for displaying menu button (see figure 1 menu option button 1, 2, 3...) which is displayed in the menu-screen (see figure 4 which displays the options under menu). See also col. 1 lines 31-42).

Therefore in light of the teaching in Kawamura it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Kato by superimposing

Art Unit: 2621

menu-screen on a display screen and displaying a button in the menu screen in order for the display device recognize the selection and receive signal easily.

Claim 1 further differs from the above combination in that the claim further requires object information for indicating a relationship between packets and the elementary stream of each of the content information and the menu information.

In the same field of endeavor Cuccia discloses a program map table relates the elementary stream types (video, audio, data etc) in a program to PIDs of packets containing data for that stream type (see col. 3 line 43-col. 4 line 10).

Therefore in light of the teaching in Cuccia it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above combination by including information that indicates a relationship between the elementary stream and the packets in order to access the stream without excessive delay.

Claim 25 further differs from the above combination in that the claim further requires the menu information includes information for a number of the menu-button which is displayed on a display-screen.

In the same field of endeavor Mori teaches as shown in figure 5 and discloses in paragraph 0122, the menu 50 includes a number of menu items (buttons) displayed on a display screen. See also paragraph 0123 where the prior art teaches menu is stored in a sub-picture pack.

Therefore in light of the teaching in Mori it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the above proposed combination by adding a number of menu button which is displayed on a display screen in order to provide the user of the display-screen a variety of options.

Claim 26 is rejected for the same reasons as discussed in apparatus claim 25 above.

Regarding claim 27, Kato discloses information reproduction apparatus comprising: a reproduction device (see figure 1 recording and/or reproducing apparatus and unit 28) capable of reproducing said content information, said menu information and said play list information (see rejection of claim 21 above); a displaying and outputting device (see input/output device in figure 1) capable of displaying and outputting said content information and said menu information (see rejection of claim 21 above); and a control device (see controller 23 in figure 1) for controlling said reproduction device to reproduce said content information and said menu information, in accordance with the item information and the slave item information included in said play list information reproduced by said reproducing device (see rejection of claim 21 above).

Cuccia teaches reproducing object information and a control device for controlling the reproducing device to reproduce the content information and the menu information in accordance with object information (see col. 3 line 43-col. 4 line 10, col. 4 line 37-col. 5 line 2, prior art's claim 1 decoding system, figure 2).

Regarding claim 28, Kato discloses a buffer memory for maintaining said reproduced menu information in a readily displayable and outputtable condition, for a predetermined period, regardless of whether or not said reproduced menu information is displayed and outputted by said displaying and outputting device (see paragraphs 0506 and 0535, it is inherent that the menu is displayed only for a predetermined time).

Regarding claim 29, the limitation of claim 29 can be found in claims 21, 25 and 27. Therefore claim 29 is analyzed and rejected for the same reasons as discussed in claims 21, 25 and 27 above.

Regarding claim 30, the limitation of claim 30 can be found in claims 21, 25 and 27. Therefore claim 30 is analyzed and rejected for the same reasons as discussed in claims 21 and 25 above.

Regarding claim 31, the limitation of claim 31 can be found in claims 21, 25 and 27. Therefore claim 31 is analyzed and rejected for the same reasons as discussed in claims 21, 25 and 27 above.

Regarding claim 32, Kato discloses a computer readable recording medium recording thereon a computer program for a record control to control a computer disposed at the information record apparatus the said program making the computer function as at least a part of the first record device and the second record device (see paragraphs 0520 and 0583).

Regarding claim 33, Kato discloses a computer readable recording medium recording thereon a computer program making the computer function as at least a part of the reproduction device, the displaying and outputting device and the control device (see figure 54 and paragraphs 0533-0565).

Regarding claim 34, Kato discloses a computer readable recording medium recording thereon a computer program making the computer function as at least a part of the first record device, the second record device, the reproduction device, the displaying and outputting device and the control device (see figure 54 and paragraphs 0533-0565).

Regarding claim 35, the limitation of claim 35 can be found in claim 21. Therefore claim 35 is analyzed and rejected for the same reasons as discussed in claim 21 above.

Claim Rejections - 35 USC § 101

7. 35 U.S.C. 101 reads as follows:

Art Unit: 2621

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

8. Claims 32-35 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

The preamble of claims 18-21 indicate the claims are directed to "a computer-readable recording medium", *per se*. In the state of the art, transitory signals are commonplace as a medium for transmitting computer instruction and thus, in the absence of any evidence to the contrary and give the broadest reasonable interpretation, the scope of a "computer readable medium" covers a signal *per se*."

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Anderson (US PG PUB 2001/0043621) discloses relationship of the layering of the PES packets and the TS packets with the encapsulated elementary stream data (paragraph 0045 and figure 5).

Terasawa (US Pat. No. 6, 147, 714) discloses relating packets with elementary stream.

Schultz (US PG PUB 20030194213) discloses outputting various kinds of packetized elementary stream including sub picture information (see paragraph 0022 referring to the claimed limitation constructing menu information from elementary stream and store in packets).

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HELEN SHIBRU whose telephone number is (571)272-7329.

The examiner can normally be reached on M-F, 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, THAI Q. TRAN can be reached on (571) 272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/HELEN SHIBRU/
Examiner, Art Unit 2621
July 1, 2010